


2011 Maryland eBird Stats

Distribution of species and checklists by county and month

Overall, ebirders submitted 49,352 checklists for 359 species in the state of Maryland in 2011.

County	Species	Checklists
Allegany	199	721
Anne Arundel	272	4,192
Baltimore	262	4,384
Calvert	243	1,138
Caroline	204	1,262
Carroll	204	878
Cecil	216	802
Charles	215	681
Dorchester	257	2,181
Frederick	225	2,232
Garrett	208	1,433
Harford	240	1,357
Howard	228	3,872
Kent	242	1,341
Montgomery	247	4,300
Prince George's	244	2,506
Queen Anne's	243	1,906
Somerset	228	911
St Mary's	245	1,589
Talbot	267	2,844
Washington	202	1,014
Wicomico	233	1,441
Worcester	316	6,237
Total	5,440	49,352

Month	Species	Checklists
JAN	186	5,383
FEB	188	4,462
MAR	185	5,495
APR	265	5,820
MAY	273	5,942
JUN	250	3,484
JUL	233	2,712
AUG	240	3,226
SEP	254	3,264
OCT	260	2,902
NOV	231	3,480
DEC	200	3,182
Total	2,765	49,352



Most and Least Observed – The following tables list the top 20 most and least observed species in Maryland during 2011 according to the percentage of checklists on which they appear. * denotes pelagic species falling in Maryland according to the ‘closest land rule’. Disregarding these, Northern Goshawk, Swallow-tailed Kite, Pomarine Jaeger, and Long-eared Owl would make the list.

20 Most Observed Birds of 2011	
Species	Checklist Percentage
Northern Cardinal	48.73%
American Crow	43.34%
Canada Goose	36.89%
Carolina Chickadee	36.83%
American Robin	35.78%
Mourning Dove	34.82%
Carolina Wren	34.47%
Turkey Vulture	34.30%
Tufted Titmouse	33.41%
European Starling	32.41%
Blue Jay	32.27%
American Goldfinch	31.56%
Red-bellied Woodpecker	30.31%
Red-winged Blackbird	30.01%
Mallard	29.32%
Northern Mockingbird	28.81%
Downy Woodpecker	28.52%
Song Sparrow	28.11%
Great Blue Heron	26.45%
Ring-billed Gull	22.47%

20 Least Observed Birds of 2011	
Species	Checklist Percentage
Evening Grosbeak	0.0016%
Thayer's Gull	0.0017%
Sooty Shearwater	0.0026%
Long-tailed Jaeger	0.0027%
White-winged Crossbill	0.0027%
Neotropic Cormorant	0.0031%
Herald Petrel*	0.0037%
Arctic Tern	0.0037%
White-tailed Tropicbird*	0.0052%
King Eider	0.0059%
Long-billed Curlew	0.0068%
Eurasian Collared-Dove	0.0070%
Black-capped Petrel*	0.0074%
Band-rumped Storm-Petrel	0.0074%
Bicknell's Thrush	0.0076%
Ruff	0.0079%
Bridled Tern	0.0089%
South Polar Skua*	0.0089%
Roseate Tern	0.0096%
Cave Swallow	0.0099%

Species Frequency Changes – The following tables show species frequency data in Maryland and changes in frequency between 2010 and 2011 as defined by percentage of ebird checklists. The tables show checklist percentages for three time periods; the five-year average of 2005-2009, 2010, and 2011. The sample size (# of complete checklists) is also listed for each time period. The final column represents the percentage difference in checklist frequency from 2010 to 2011. The first two tables show the largest increases and decreases in checklist frequency (top 40). These tables are limited to species that appear in at least 1% of ebird checklists. **Please note** – Care should be taken not to necessarily assign increases or decreases to changes in a species population. A shift in the pattern of eBird reporting (habitat, season, chasing) will also affect checklist frequencies.

Largest increases in species frequencies from 2010 to 2011 according to eBird data				
	2005-2009 (43,513)	2010 (25,759)	2011 (33,223)	Change from 2010
Horned Grebe	2.70%	1.71%	3.16%	84.24%
Brown Pelican	1.69%	1.19%	2.10%	75.48%
American Coot	3.58%	2.81%	4.83%	71.61%
Redhead	1.20%	0.99%	1.62%	63.58%
Bonaparte's Gull	1.87%	1.19%	1.84%	54.72%
American Oystercatcher	1.15%	0.85%	1.26%	48.66%
Pied-billed Grebe	4.56%	3.90%	5.64%	44.61%
Common Tern	1.58%	1.27%	1.83%	44.03%
Caspian Tern	2.50%	2.41%	3.40%	40.92%
Northern Gannet	1.16%	0.76%	1.07%	40.69%
Little Blue Heron	1.75%	1.97%	2.73%	38.12%
Royal Tern	2.45%	2.27%	3.09%	36.42%
Sanderling	1.89%	1.38%	1.87%	35.88%
Ruddy Turnstone	1.34%	1.06%	1.43%	35.60%
Boat-tailed Grackle	1.16%	1.16%	1.55%	33.86%
Grasshopper Sparrow	1.65%	2.00%	2.66%	33.40%
Willet	1.30%	1.12%	1.48%	31.82%
Black-bellied Plover	1.42%	1.13%	1.48%	30.89%
Forster's Tern	4.51%	4.60%	5.98%	29.95%
Glossy Ibis	1.02%	0.92%	1.19%	29.94%
Northern Shoveler	2.50%	2.44%	3.13%	28.33%
Blue Grosbeak	3.30%	4.17%	5.20%	24.78%
Green-winged Teal	3.69%	3.66%	4.54%	24.00%
Red-breasted Merganser	2.63%	1.94%	2.38%	22.85%
Least Tern	1.78%	1.71%	2.09%	22.77%
Double-crested Cormorant	13.10%	13.22%	16.09%	21.65%
Ring-necked Duck	5.05%	4.58%	5.55%	20.96%
Swamp Sparrow	6.69%	5.25%	6.33%	20.55%
Laughing Gull	8.33%	9.20%	11.03%	19.90%
Brown-headed Nuthatch	1.40%	1.86%	2.23%	19.87%
Canvasback	2.37%	2.25%	2.70%	19.79%
Purple Martin	5.01%	4.78%	5.70%	19.29%
Gadwall	2.90%	3.02%	3.59%	18.97%
Cattle Egret	1.03%	1.19%	1.41%	18.76%
Bobolink	1.09%	1.20%	1.42%	18.39%
Red-headed Woodpecker	1.66%	1.12%	1.32%	17.92%
Northern Pintail	2.12%	1.66%	1.95%	17.80%
Merlin	0.98%	1.08%	1.27%	17.78%
Bufflehead	9.39%	8.26%	9.73%	17.75%
Prairie Warbler	1.85%	1.82%	2.14%	17.35%

Largest declines in species frequencies from 2010 to 2011 according to eBird data				
	2005-2009 (43,513)	2010 (25,759)	2011 (33,223)	Change from 2010
Purple Finch	2.19%	2.09%	0.70%	-66.58%
Red-breasted Nuthatch	3.30%	3.31%	1.36%	-58.80%
Pine Siskin	2.41%	1.02%	0.60%	-41.32%
Mute Swan	3.06%	2.17%	1.49%	-31.20%
Broad-winged Hawk	1.12%	1.32%	0.92%	-30.23%
Fox Sparrow	2.09%	2.19%	1.60%	-26.64%
White-eyed Vireo	5.51%	6.41%	4.77%	-25.61%
Black-capped Chickadee	1.52%	1.74%	1.29%	-25.57%
Swainson's Thrush	1.18%	1.09%	0.82%	-24.97%
Solitary Sandpiper	1.99%	2.64%	1.98%	-24.89%
White-crowned Sparrow	2.19%	2.35%	1.77%	-24.65%
Pectoral Sandpiper	1.27%	1.95%	1.47%	-24.59%
Golden-crowned Kinglet	5.50%	4.78%	3.73%	-22.08%
Snow Goose	1.77%	1.91%	1.49%	-21.94%
Blue-headed Vireo	1.25%	1.24%	0.98%	-21.09%
Common Merganser	2.76%	3.24%	2.56%	-20.95%
American Pipit	1.06%	1.20%	0.95%	-20.93%
Wood Thrush	7.48%	7.23%	5.75%	-20.51%
Yellow-bellied Sapsucker	4.64%	3.94%	3.16%	-19.84%
Killdeer	11.28%	12.33%	9.97%	-19.08%
Cooper's Hawk	6.90%	6.65%	5.40%	-18.77%
Hermit Thrush	3.79%	3.43%	2.79%	-18.62%
Marsh Wren	1.61%	1.46%	1.19%	-17.92%
American Goldfinch	41.87%	38.31%	31.56%	-17.63%
House Sparrow	28.37%	21.56%	17.85%	-17.23%
House Finch	30.78%	24.44%	20.66%	-15.48%
Common Grackle	28.66%	24.74%	21.16%	-14.49%
Eastern Towhee	15.51%	14.51%	12.42%	-14.40%
Blue Jay	41.38%	37.65%	32.27%	-14.28%
House Wren	9.17%	7.66%	6.57%	-14.16%
Ruddy Duck	6.12%	5.87%	5.04%	-14.10%
Mourning Dove	49.52%	40.34%	34.82%	-13.67%
Blackpoll Warbler	1.73%	2.31%	2.00%	-13.39%
Eastern Screech-Owl	1.01%	1.26%	1.10%	-12.94%
Barred Owl	2.32%	2.21%	1.93%	-12.58%
Warbling Vireo	1.37%	1.53%	1.34%	-12.54%
Least Sandpiper	3.23%	4.78%	4.22%	-11.71%
Red-tailed Hawk	13.63%	12.49%	11.07%	-11.33%
Tufted Titmouse	37.80%	37.44%	33.41%	-10.76%
Blue-gray Gnatcatcher	9.37%	9.92%	8.88%	-10.47%

TAXONOMIC ORDER – ALL SPECIES

Common Name	2005-2009 (43,513)	2010 (25,759)	2011 (33,223)	% Change from 2010
Black-bellied Whistling-Duck	0.06%	0.14%	0.09%	-37.19%
Greater White-fronted Goose	0.16%	0.24%	0.14%	-42.89%
Snow Goose	1.77%	1.91%	1.49%	-21.94%
Ross's Goose	0.15%	0.11%	0.14%	28.27%
Brant	1.11%	1.09%	1.04%	-5.01%
Cackling Goose	0.67%	0.69%	0.49%	-29.02%
Canada Goose	37.71%	37.63%	36.89%	-1.98%
Mute Swan	3.06%	2.17%	1.49%	-31.20%
Tundra Swan	3.43%	3.52%	3.58%	1.68%
Wood Duck	8.51%	8.62%	8.01%	-6.98%
Gadwall	2.90%	3.02%	3.59%	18.97%
Eurasian Wigeon	0.18%	0.05%	0.11%	106.49%
American Wigeon	3.11%	2.86%	3.25%	13.47%
American Black Duck	7.10%	7.38%	7.89%	6.84%
Mallard	29.54%	29.39%	29.32%	-0.24%
Blue-winged Teal	1.15%	1.10%	1.26%	14.23%
Northern Shoveler	2.50%	2.44%	3.13%	28.33%
Northern Pintail	2.12%	1.66%	1.95%	17.80%
Green-winged Teal	3.69%	3.66%	4.54%	24.00%
Canvasback	2.37%	2.25%	2.70%	19.79%
Redhead	1.20%	0.99%	1.62%	63.58%
Ring-necked Duck	5.05%	4.58%	5.55%	20.96%
Greater Scaup	2.13%	1.97%	2.29%	16.04%
Lesser Scaup	3.64%	3.00%	3.30%	10.21%
King Eider	0.14%	0.05%	0.01%	-89.04%
Common Eider	0.27%	0.41%	0.23%	-44.40%
Harlequin Duck	0.16%	0.22%	0.36%	60.73%
Surf Scoter	2.62%	1.88%	1.87%	-0.76%
White-winged Scoter	0.60%	0.49%	0.55%	12.71%
Black Scoter	0.97%	0.89%	0.96%	8.09%
Long-tailed Duck	2.57%	1.96%	1.77%	-9.79%
Bufflehead	9.39%	8.26%	9.73%	17.75%
Common Goldeneye	2.63%	2.28%	2.28%	0.08%
Hooded Merganser	5.38%	4.97%	5.00%	0.56%
Common Merganser	2.76%	3.24%	2.56%	-20.95%
Red-breasted Merganser	2.63%	1.94%	2.38%	22.85%
Ruddy Duck	6.12%	5.87%	5.04%	-14.10%
Northern Bobwhite	0.67%	0.55%	0.71%	28.79%
Ring-necked Pheasant	0.15%	0.14%	0.09%	-39.23%
Ruffed Grouse	0.15%	0.14%	0.09%	-29.96%

Wild Turkey	1.30%	1.66%	1.73%	4.06%
Red-throated Loon	1.39%	0.88%	0.88%	-0.34%
Common Loon	4.45%	3.76%	3.62%	-3.86%
Pied-billed Grebe	4.56%	3.90%	5.64%	44.61%
Horned Grebe	2.70%	1.71%	3.16%	84.24%
Red-necked Grebe	0.46%	0.08%	0.22%	176.22%
Eared Grebe	0.18%	0.07%	0.04%	-45.45%
Cory's Shearwater	0.07%	0.03%	0.09%	168.80%
Great Shearwater	0.09%	0.03%	0.13%	396.60%
Audubon's Shearwater	0.05%	0.03%	0.05%	100.53%
Wilson's Storm-Petrel	0.16%	0.09%	0.28%	223.20%
Leach's Storm-Petrel	0.02%	0.03%	0.02%	-41.42%
Band-rumped Storm-Petrel	0.00%	0.03%	0.01%	-72.31%
Northern Gannet	1.16%	0.76%	1.07%	40.69%
Double-crested Cormorant	13.10%	13.22%	16.09%	21.65%
Great Cormorant	0.31%	0.22%	0.37%	69.97%
American White Pelican	0.34%	0.45%	0.30%	-33.22%
Brown Pelican	1.69%	1.19%	2.10%	75.48%
American Bittern	0.28%	0.17%	0.22%	29.28%
Least Bittern	0.38%	0.25%	0.38%	55.44%
Great Blue Heron	25.53%	26.16%	26.45%	1.10%
Great Egret	6.55%	7.57%	8.57%	13.24%
Snowy Egret	2.87%	3.58%	4.12%	14.87%
Little Blue Heron	1.75%	1.97%	2.73%	38.12%
Tricolored Heron	0.81%	1.26%	1.19%	-5.10%
Cattle Egret	1.03%	1.19%	1.41%	18.76%
Green Heron	6.09%	5.19%	5.70%	9.84%
Black-crowned Night-Heron	2.25%	1.97%	2.25%	13.93%
Yellow-crowned Night-Heron	0.50%	0.46%	0.43%	-6.27%
White Ibis	0.10%	0.15%	0.16%	3.67%
Glossy Ibis	1.02%	0.92%	1.19%	29.94%
White-faced Ibis	0.03%	0.01%	0.04%	244.14%
Black Vulture	13.62%	14.10%	13.96%	-0.98%
Turkey Vulture	34.11%	34.81%	34.30%	-1.45%
Osprey	11.68%	14.29%	14.46%	1.13%
Mississippi Kite	0.04%	0.05%	0.12%	148.91%
Bald Eagle	12.71%	15.34%	15.64%	1.93%
Northern Harrier	3.65%	3.91%	4.07%	4.05%
Sharp-shinned Hawk	4.95%	4.52%	4.13%	-8.65%
Cooper's Hawk	6.90%	6.65%	5.40%	-18.77%
Northern Goshawk	0.06%	0.03%	0.01%	-66.57%
Red-shouldered Hawk	12.02%	11.31%	10.66%	-5.74%
Broad-winged Hawk	1.12%	1.32%	0.92%	-30.23%
Red-tailed Hawk	13.63%	12.49%	11.07%	-11.33%

Rough-legged Hawk	0.11%	0.10%	0.09%	-13.40%
Golden Eagle	0.20%	0.14%	0.12%	-14.28%
American Kestrel	4.54%	3.55%	3.83%	8.02%
Merlin	0.98%	1.08%	1.27%	17.78%
Peregrine Falcon	1.43%	1.27%	1.41%	11.08%
Black Rail	0.02%	0.06%	0.09%	48.68%
Clapper Rail	0.41%	0.41%	0.40%	-4.70%
King Rail	0.12%	0.14%	0.19%	34.59%
Virginia Rail	0.74%	0.65%	0.98%	51.28%
Sora	0.37%	0.31%	0.45%	43.46%
Common Gallinule	0.34%	0.37%	0.33%	-11.89%
American Coot	3.58%	2.81%	4.83%	71.61%
Black-bellied Plover	1.42%	1.13%	1.48%	30.89%
American Golden-Plover	0.28%	0.27%	0.41%	51.00%
Semipalmated Plover	1.67%	2.15%	2.28%	6.13%
Piping Plover	0.17%	0.06%	0.15%	135.32%
Killdeer	11.28%	12.33%	9.97%	-19.08%
American Oystercatcher	1.15%	0.85%	1.26%	48.66%
Black-necked Stilt	0.37%	0.22%	0.39%	80.09%
American Avocet	0.47%	0.37%	0.22%	-39.94%
Spotted Sandpiper	3.23%	3.54%	3.71%	5.02%
Solitary Sandpiper	1.99%	2.64%	1.98%	-24.89%
Greater Yellowlegs	3.04%	3.73%	3.44%	-7.67%
Willet	1.30%	1.12%	1.48%	31.82%
Lesser Yellowlegs	2.82%	3.62%	3.48%	-3.83%
Upland Sandpiper	0.18%	0.15%	0.20%	34.83%
Whimbrel	0.21%	0.08%	0.15%	97.86%
Hudsonian Godwit	0.08%	0.04%	0.09%	119.00%
Marbled Godwit	0.18%	0.11%	0.20%	72.90%
Ruddy Turnstone	1.34%	1.06%	1.43%	35.60%
Red Knot	0.18%	0.22%	0.30%	34.06%
Sanderling	1.89%	1.38%	1.87%	35.88%
Semipalmated Sandpiper	1.82%	2.72%	2.98%	9.29%
Western Sandpiper	0.58%	0.52%	0.59%	14.76%
Least Sandpiper	3.23%	4.78%	4.22%	-11.71%
White-rumped Sandpiper	0.55%	0.48%	0.64%	33.01%
Baird's Sandpiper	0.19%	0.17%	0.09%	-45.39%
Pectoral Sandpiper	1.27%	1.95%	1.47%	-24.59%
Purple Sandpiper	0.60%	0.48%	0.48%	-0.39%
Dunlin	1.59%	1.48%	1.44%	-2.82%
Stilt Sandpiper	0.56%	0.62%	0.45%	-28.17%
Buff-breasted Sandpiper	0.16%	0.19%	0.18%	-6.72%
Ruff	0.03%	0.05%	0.01%	-84.74%
Short-billed Dowitcher	1.20%	0.98%	0.94%	-4.07%

Long-billed Dowitcher	0.16%	0.13%	0.07%	-49.01%
Wilson's Snipe	1.42%	1.21%	1.41%	16.00%
American Woodcock	0.53%	0.37%	0.48%	28.79%
Wilson's Phalarope	0.15%	0.18%	0.02%	-87.05%
Red-necked Phalarope	0.22%	0.06%	0.06%	-0.67%
Red Phalarope	0.03%	0.04%	0.05%	33.36%
Black-legged Kittiwake	0.04%	0.01%	0.07%	669.58%
Bonaparte's Gull	1.87%	1.19%	1.84%	54.72%
Black-headed Gull	0.05%	0.13%	0.32%	152.52%
Little Gull	0.08%	0.03%	0.07%	133.59%
Laughing Gull	8.33%	9.20%	11.03%	19.90%
Franklin's Gull	0.05%	0.01%	0.02%	165.48%
Ring-billed Gull	22.77%	21.33%	22.47%	5.33%
Herring Gull	14.63%	15.37%	16.28%	5.92%
Thayer's Gull	0.04%	0.02%	0.00%	-90.88%
Iceland Gull	0.13%	0.12%	0.17%	40.77%
Lesser Black-backed Gull	0.82%	0.63%	0.89%	40.91%
Glaucous Gull	0.10%	0.05%	0.06%	20.23%
Great Black-backed Gull	9.68%	9.47%	10.42%	9.98%
Sooty Tern	0.02%	0.00%	0.02%	407.28%
Least Tern	1.78%	1.71%	2.09%	22.77%
Gull-billed Tern	0.07%	0.03%	0.02%	-40.11%
Caspian Tern	2.50%	2.41%	3.40%	40.92%
Black Tern	0.47%	0.12%	0.57%	363.41%
Common Tern	1.58%	1.27%	1.83%	44.03%
Arctic Tern	0.00%	0.05%	0.00%	-93.03%
Forster's Tern	4.51%	4.60%	5.98%	29.95%
Royal Tern	2.45%	2.27%	3.09%	36.42%
Sandwich Tern	0.21%	0.19%	0.31%	59.42%
Black Skimmer	0.34%	0.29%	0.34%	15.85%
Pomarine Jaeger	0.02%	0.01%	0.01%	74.54%
Parasitic Jaeger	0.04%	0.01%	0.04%	232.85%
Dovekie	0.07%	0.00%	0.03%	822.47%
Razorbill	0.09%	0.02%	0.09%	466.26%
Rock Pigeon	14.36%	12.07%	11.39%	-5.67%
Eurasian Collared-Dove	0.12%	0.01%	0.01%	-27.33%
Mourning Dove	49.52%	40.34%	34.82%	-13.67%
Yellow-billed Cuckoo	3.79%	4.31%	4.41%	2.24%
Black-billed Cuckoo	0.33%	0.25%	0.25%	-1.16%
Barn Owl	0.14%	0.15%	0.08%	-47.42%
Eastern Screech-Owl	1.01%	1.26%	1.10%	-12.94%
Great Horned Owl	1.23%	1.15%	1.21%	5.35%
Barred Owl	2.32%	2.21%	1.93%	-12.58%
Long-eared Owl	0.06%	0.01%	0.01%	79.74%

Short-eared Owl	0.26%	0.14%	0.32%	128.69%
Northern Saw-whet Owl	0.09%	0.08%	0.05%	-38.92%
Common Nighthawk	0.69%	0.48%	0.52%	9.19%
Chuck-will's-widow	0.22%	0.29%	0.24%	-18.68%
Eastern Whip-poor-will	0.17%	0.25%	0.15%	-39.85%
Chimney Swift	11.03%	11.51%	11.22%	-2.49%
Ruby-throated Hummingbird	8.50%	7.24%	7.67%	5.88%
Rufous Hummingbird	0.07%	0.10%	0.07%	-26.76%
Belted Kingfisher	12.11%	10.76%	10.93%	1.66%
Red-headed Woodpecker	1.66%	1.12%	1.32%	17.92%
Red-bellied Woodpecker	32.84%	32.72%	30.31%	-7.36%
Yellow-bellied Sapsucker	4.64%	3.94%	3.16%	-19.84%
Downy Woodpecker	34.69%	30.08%	28.52%	-5.20%
Hairy Woodpecker	8.58%	7.48%	8.02%	7.26%
Northern Flicker	21.21%	19.11%	18.38%	-3.82%
Pileated Woodpecker	10.35%	9.04%	9.81%	8.56%
Olive-sided Flycatcher	0.13%	0.07%	0.13%	82.30%
Eastern Wood-Pewee	9.35%	9.70%	9.07%	-6.55%
Yellow-bellied Flycatcher	0.20%	0.29%	0.07%	-75.11%
Acadian Flycatcher	5.59%	5.48%	4.99%	-9.01%
Alder Flycatcher	0.19%	0.19%	0.11%	-39.32%
Willow Flycatcher	0.94%	0.96%	0.73%	-23.90%
Least Flycatcher	0.56%	0.52%	0.41%	-21.13%
Eastern Phoebe	12.32%	10.20%	9.27%	-9.05%
Great Crested Flycatcher	5.98%	6.90%	7.25%	4.97%
Western Kingbird	0.06%	0.01%	0.03%	251.18%
Eastern Kingbird	8.78%	8.74%	8.66%	-1.00%
Loggerhead Shrike	0.06%	0.05%	0.08%	48.88%
Northern Shrike	0.11%	0.27%	0.12%	-55.40%
White-eyed Vireo	5.51%	6.41%	4.77%	-25.61%
Yellow-throated Vireo	2.28%	2.12%	2.17%	2.24%
Blue-headed Vireo	1.25%	1.24%	0.98%	-21.09%
Warbling Vireo	1.37%	1.53%	1.34%	-12.54%
Philadelphia Vireo	0.22%	0.29%	0.20%	-28.73%
Red-eyed Vireo	10.86%	11.64%	11.56%	-0.71%
Blue Jay	41.38%	37.65%	32.27%	-14.28%
American Crow	43.95%	44.03%	43.34%	-1.58%
Fish Crow	16.25%	16.20%	16.15%	-0.32%
Common Raven	1.40%	1.20%	1.17%	-2.44%
Horned Lark	2.65%	3.40%	3.26%	-4.28%
Northern Rough-winged Swallow	4.04%	3.65%	3.92%	7.35%
Purple Martin	5.01%	4.78%	5.70%	19.29%
Tree Swallow	11.08%	11.26%	12.31%	9.31%

Bank Swallow	1.21%	1.26%	1.43%	13.51%
Barn Swallow	14.55%	15.45%	17.21%	11.36%
Cliff Swallow	0.72%	0.77%	0.53%	-31.70%
Cave Swallow	0.02%	0.01%	0.01%	-10.30%
Carolina Chickadee	41.63%	38.57%	36.83%	-4.51%
Black-capped Chickadee	1.52%	1.74%	1.29%	-25.57%
Tufted Titmouse	37.80%	37.44%	33.41%	-10.76%
Red-breasted Nuthatch	3.30%	3.31%	1.36%	-58.80%
White-breasted Nuthatch	23.53%	21.38%	19.41%	-9.22%
Brown-headed Nuthatch	1.40%	1.86%	2.23%	19.87%
Brown Creeper	3.26%	2.69%	2.63%	-2.46%
Carolina Wren	41.84%	31.76%	34.47%	8.54%
House Wren	9.17%	7.66%	6.57%	-14.16%
Winter Wren	3.13%	2.49%	2.72%	9.18%
Sedge Wren	0.20%	0.10%	0.07%	-32.71%
Marsh Wren	1.61%	1.46%	1.19%	-17.92%
Blue-gray Gnatcatcher	9.37%	9.92%	8.88%	-10.47%
Golden-crowned Kinglet	5.50%	4.78%	3.73%	-22.08%
Ruby-crowned Kinglet	7.83%	5.81%	5.31%	-8.56%
Eastern Bluebird	20.74%	19.02%	19.43%	2.14%
Veery	1.51%	1.12%	1.06%	-5.88%
Gray-cheeked Thrush	0.31%	0.18%	0.22%	21.51%
Bicknell's Thrush	0.04%	0.02%	0.01%	-66.99%
Swainson's Thrush	1.18%	1.09%	0.82%	-24.97%
Hermit Thrush	3.79%	3.43%	2.79%	-18.62%
Wood Thrush	7.48%	7.23%	5.75%	-20.51%
American Robin	41.81%	39.40%	35.78%	-9.18%
Gray Catbird	20.79%	18.70%	19.19%	2.58%
Northern Mockingbird	33.87%	29.72%	28.81%	-3.07%
Brown Thrasher	7.21%	6.82%	6.42%	-5.81%
European Starling	40.01%	34.32%	32.41%	-5.55%
American Pipit	1.06%	1.20%	0.95%	-20.93%
Cedar Waxwing	11.18%	8.95%	9.06%	1.16%
Lapland Longspur	0.11%	0.18%	0.09%	-48.52%
Snow Bunting	0.21%	0.22%	0.25%	15.80%
Ovenbird	4.66%	4.79%	4.49%	-6.12%
Worm-eating Warbler	1.15%	1.05%	1.16%	10.68%
Louisiana Waterthrush	2.01%	1.80%	1.83%	2.03%
Northern Waterthrush	0.85%	0.97%	0.74%	-24.28%
Blue-winged Warbler	0.54%	0.37%	0.51%	38.17%
Golden-winged Warbler	0.12%	0.08%	0.11%	31.93%
Black-and-white Warbler	3.67%	3.69%	3.87%	5.07%
Prothonotary Warbler	1.65%	1.65%	1.71%	3.55%
Tennessee Warbler	0.38%	0.47%	0.60%	26.77%

Orange-crowned Warbler	0.09%	0.12%	0.19%	65.18%
Nashville Warbler	0.61%	0.67%	0.70%	5.24%
Connecticut Warbler	0.08%	0.12%	0.08%	-33.47%
Mourning Warbler	0.10%	0.08%	0.06%	-23.80%
Kentucky Warbler	0.79%	0.66%	0.81%	22.38%
Common Yellowthroat	11.61%	12.58%	13.27%	5.45%
Hooded Warbler	1.59%	1.22%	1.18%	-3.44%
American Redstart	4.80%	5.37%	5.09%	-5.24%
Cape May Warbler	0.37%	0.35%	0.63%	82.53%
Cerulean Warbler	0.33%	0.28%	0.21%	-24.04%
Northern Parula	5.69%	5.91%	6.02%	1.88%
Magnolia Warbler	2.90%	3.48%	3.13%	-10.14%
Bay-breasted Warbler	0.29%	0.36%	0.28%	-22.41%
Blackburnian Warbler	0.57%	0.51%	0.57%	12.39%
Yellow Warbler	3.51%	2.96%	3.12%	5.13%
Chestnut-sided Warbler	1.73%	1.86%	1.84%	-1.03%
Blackpoll Warbler	1.73%	2.31%	2.00%	-13.39%
Black-throated Blue Warbler	2.30%	2.09%	2.28%	9.10%
Palm Warbler	2.67%	2.54%	2.53%	-0.58%
Pine Warbler	3.39%	4.27%	3.96%	-7.19%
Yellow-rumped Warbler	11.16%	11.43%	12.37%	8.20%
Yellow-throated Warbler	0.99%	1.12%	1.20%	6.71%
Prairie Warbler	1.85%	1.82%	2.14%	17.35%
Black-throated Green Warbler	2.36%	2.09%	2.07%	-0.84%
Canada Warbler	0.57%	0.79%	0.77%	-3.68%
Wilson's Warbler	0.27%	0.29%	0.27%	-6.90%
Yellow-breasted Chat	1.77%	1.90%	2.05%	8.08%
Eastern Towhee	15.51%	14.51%	12.42%	-14.40%
American Tree Sparrow	0.64%	0.73%	0.53%	-27.53%
Chipping Sparrow	13.83%	15.13%	15.20%	0.45%
Clay-colored Sparrow	0.08%	0.03%	0.23%	701.57%
Field Sparrow	8.33%	6.31%	7.15%	13.37%
Vesper Sparrow	0.36%	0.28%	0.28%	-1.28%
Lark Sparrow	0.06%	0.01%	0.16%	2092.47%
Savannah Sparrow	3.25%	3.18%	3.24%	1.90%
Grasshopper Sparrow	1.65%	2.00%	2.66%	33.40%
Henslow's Sparrow	0.21%	0.07%	0.12%	55.54%
Nelson's Sparrow	0.07%	0.07%	0.12%	66.21%
Saltmarsh Sparrow	0.24%	0.21%	0.20%	-2.90%
Seaside Sparrow	0.62%	0.63%	0.58%	-8.00%
Fox Sparrow	2.09%	2.19%	1.60%	-26.64%
Song Sparrow	33.81%	27.63%	28.11%	1.73%
Lincoln's Sparrow	0.58%	0.55%	0.44%	-19.26%

Swamp Sparrow	6.69%	5.25%	6.33%	20.55%
White-throated Sparrow	25.44%	23.52%	21.14%	-10.10%
White-crowned Sparrow	2.19%	2.35%	1.77%	-24.65%
Dark-eyed Junco	19.84%	17.13%	16.06%	-6.25%
Summer Tanager	0.81%	1.05%	1.09%	4.52%
Scarlet Tanager	5.01%	5.04%	5.14%	2.11%
Northern Cardinal	55.76%	52.04%	48.73%	-6.37%
Rose-breasted Grosbeak	1.60%	1.12%	1.14%	1.42%
Blue Grosbeak	3.30%	4.17%	5.20%	24.78%
Indigo Bunting	10.33%	11.94%	12.72%	6.50%
Dickcissel	0.27%	0.23%	1.04%	343.42%
Bobolink	1.09%	1.20%	1.42%	18.39%
Red-winged Blackbird	29.00%	30.86%	30.01%	-2.75%
Eastern Meadowlark	3.09%	2.63%	2.71%	3.34%
Yellow-headed Blackbird	0.01%	0.03%	0.02%	-27.42%
Rusty Blackbird	1.13%	0.83%	0.87%	4.72%
Common Grackle	28.66%	24.74%	21.16%	-14.49%
Boat-tailed Grackle	1.16%	1.16%	1.55%	33.86%
Brown-headed Cowbird	15.23%	12.91%	11.67%	-9.56%
Orchard Oriole	3.95%	4.47%	4.61%	3.31%
Baltimore Oriole	4.89%	4.03%	3.93%	-2.52%
Purple Finch	2.19%	2.09%	0.70%	-66.58%
House Finch	30.78%	24.44%	20.66%	-15.48%
White-winged Crossbill	0.39%	0.02%	0.00%	-88.44%
Pine Siskin	2.41%	1.02%	0.60%	-41.32%
American Goldfinch	41.87%	38.31%	31.56%	-17.63%
Evening Grosbeak	0.03%	0.01%	0.00%	-88.44%
House Sparrow	28.37%	21.56%	17.85%	-17.23%

Checklist percentage for all preceding tables is somewhat controlled for seasonal differences in checklist numbers by equally weighting the % in all of ebird's 48 time points. This might not be the best method, but it's the easiest.